



PUBLIC WORKS DEPARTMENT
Ralph A. Qualls, Jr., Director

CITY HALL
10300 TORRE AVENUE ~ CUPERTINO, CA 95014-3266
(408) 777-3354 ~ FAX (408) 777-3333

Date: May 19, 2008

File: 98,493.83

Project: 2008-03, Local Streets Pavement Management 1

ADDENDUM NO. 1
To
CITY OF CUPERTINO'S LOCAL STREETS PAVEMENT MANAGEMENT 1 PROJECT
City Project Number: 2008-03

Please note that the following revisions are made to the above referenced project:

1. Bid Proposal Page 1 of 8 is revised as shown on the attached revised Bid Proposal Page 1 of 8. The title and number of the project at the top of the page, which were originally misprinted, have been corrected.
2. Bid Proposal Page 2 of 8 is revised as shown on the attached revised Bid Proposal Page 2 of 8. Attention is called to bid items number 12 and 13, whose quantities have been revised.
3. Special Provisions Pages 5, 6, and 7 of 8 of 20 are revised as shown on the attached revised Bid Proposal Pages 5, 6, and 7 of 8 of 20. Attention is called to Section 9, Quantities, under which the Estimated Quantities items number 12 and 13 have been revised.

This Addendum No. 1 is hereby incorporated and made part of the Bid Proposal requirements for the **Local Streets Pavement Management 1 Project**. All other provisions of the Contract Documents shall remain in full force and effect.

APPROVED BY:

For
Ralph A. Qualls, Jr.
Director of Public Works

Attachments

BID PROPOSAL

LOCAL STREETS PAVEMENT MANAGEMENT 1, PROJECT 2008-03

TO: THE DIRECTOR OF PUBLIC WORKS, CITY OF CUPERTINO, STATE OF CALIFORNIA

Dear Sir:

In compliance with the plans and specifications furnished for the work of the ***LOCAL STREETS PAVEMENT MANAGEMENT 1, PROJECT 2008-03*** for the City of Cupertino, the undersigned, hereby declare that I have read the proposal requirement, visited the sites, and examined the specifications. I, the undersigned, hereby propose to do all work required to complete the work in accordance with the plans and specifications for the prices set forth in the following schedule. I further understand that said prices include all costs including, but not limited to, local, state and federal taxes, and transportation costs.

Bidders shall complete the entire Statement of Qualification and submit it with the bid proposal documents. Failure to complete the questionnaire or inclusion of any false statement(s) shall be grounds for immediate disqualification.

I, the undersigned, also understand that the quantities shown below are estimates only, being given as a basis for comparison of bids. The City of Cupertino does not state that the actual amount of work will correspond but reserves the right to increase or decrease the amount of any class or portion of the work or to omit items or portions of work deemed unnecessary by the Engineer.

The City of Cupertino reserves the right to unilaterally determine and award the contract to any qualified bidder based on the most advantageous proposal, to reject any or all bids, or to waive any irregularities in the procedures.

The work to be done consists of furnishing all labor, methods of process, tools, machinery and material required to complete the ***LOCAL STREETS PAVEMENT MANAGEMENT 1, PROJECT 2008-03*** as described in the Special Provisions.

I, the undersigned, shall diligently prosecute the work to completion as scheduled. I further understand that I shall pay to the City of Cupertino the sum of One Hundred Fifty Dollars (\$150.00) per day, for each and every day services are not completed as scheduled and/or specified.

In the event of discrepancies between the written unit price and the numerical unit price, the written price shall govern.

ITEM NO.	ITEM DESCRIPTION	APPROX. QTY	UNIT	PAYMENT REFERENCE	UNIT PRICE	*TOTAL ITEM PRICE
1	Traffic Control	***	LS	101-4		
2	Asphalt Concrete, 1/2" Max. Medium	4,237	TN	102-4		
3	Asphalt Concrete, 3/8" Max.	1,605	TN	102-4		
4	Pavement Reinforcing Fabric	40,589	SY	107-4		
5	Keycut Type A	16,185	LF	104-4		
6	Keycut Type B	1,563	LF	104-4		
7	Type II Slurry Seal	190,551	SF	110-4		
8	ARAM Cape Seal	94,613	SF	110-4		
9	4" Digout	11,685	SF	105-4		
10	Cold Plane 0.25' (3") AC and Replace w/H.S. AC Mix	960	SF	105-4		
11	Crack Sealing	8,314	LF	109-4		
12	Adjust Manhole Cover to Finish Grade	63	EA	106-3		
13	Adjust Water Valve/Sewer Cleanout/Survey Monument/ Gas Valve Covers to Finish Grade	36	EA	106-3		
14	Install Box & Cover @ Existing Survey Monument	1	EA	106-3		
15	Blue Reflective Marker @ Hydrant	27	EA	108-4		
16	"STOP" Legend (Thermo)	27	EA	108-4		
17	"AHEAD" Legend (Thermo)	2	EA	108-4		
18	"SLOW" Legend (Thermo)	2	EA	108-4		
19	"SCHOOL" Legend (Thermo)	2	EA	108-4		
20	"KEEP" Legend (Thermo)	10	EA	108-4		
21	"CLEAR" Legend (Thermo)	10	EA	108-4		
22	"XING" Legend (Thermo)	2	EA	108-4		
23	"25" Legend (Thermo)	1	EA	108-4		
24	"30" Legend (Thermo)	1	EA	108-4		
25	"Bike Lane" Legend (Paint)	21	EA	108-4		
26	12" White Crosswalk/Limit Line (Thermo)	1,257	LF	108-4		
27	12" Yellow Crosswalk (Thermo)	368	LF	108-4		
28	Type IV - Turn Arrow (Thermo)	3	EA	108-4		
29	Type VII - Turn Arrow (Thermo)	5	EA	108-4		
30	Striping Detail #23C (Markers)	3,190	LF	108-4		
31	Striping Detail #37B (Markers)	204	LF	108-4		
32	Striping Detail #38C (Markers)	101	LF	108-4		
33	Striping Detail #39 (Thermo)	3,477	LF	108-4		
34	Striping Detail #39AC (Thermo)	2,658	LF	108-4		

TOTAL BASE BID: _____

ADD ALTERNATE NO. 1

35	Warm-Mix Asphalt	5,842	TN	102-4		
----	------------------	-------	----	-------	--	--

ADD ALTERNATE NO. 2

36	Black Aggregate for Cape Seal/Slurry Seal	285,164	SF	110-4		
----	---	---------	----	-------	--	--

NOTE: In case of error in extension of price into total price column, the unit price will govern.

7. INSPECTION AND INSPECTION COSTS

The work will be inspected by the City of Cupertino.

Inspection costs for any work done after 5:00 PM or before 8:00 AM on a regular work day, or any time on Saturdays, Sundays or holidays shall be paid for by the Contractor at the rate of \$45.00 per hour.

8. PUBLIC CONVENIENCE AND SAFETY

The Contractor shall conduct their operations so as to cause the least possible obstruction and inconvenience to public traffic. All traffic shall be permitted to pass through the work area.

Contractor shall furnish, erect and maintain sufficient warnings and directional signs, barricades and lights, and furnish sufficient flaggers to give adequate warning to the public at all times that the road or street is under construction and of any dangerous conditions encountered as a result thereof.

The Contractor shall be allowed to close traffic lanes as specified in the Traffic Control Section, on the street involved in the project. Flaggers, barricades, and signing shall be required in order to insure safe and orderly traffic flow. Side or adjacent streets shall be posted and/or detoured with barricades and signs to insure traffic is routed around the work area.

All costs associated with public convenience and safety shall be included in the price for traffic control as listed in the bid schedule.

9. QUANTITIES

It is specifically pointed out that the quantities listed in the proposal and specifications are estimates only and being given on a basis of comparison of bids and the City of Cupertino does not agree that the actual amount of work will correspond, but reserves the right to increase or decrease the amount of any class or portion of the work, or to omit items or portions of the work that may be deemed necessary by the Engineer. ***THE QUANTITY LISTED FOR EACH ITEM MAY BE INCREASED OR DECREASED UP TO TWENTY-FIVE (25) PERCENT OF THE CONTRACT QUANTITIES WITH NO CHANGE IN UNIT PRICE BID. Items 12, 13 and 14 are exempt from this requirement and may be increased or decreased as determined by the Engineer without any change in the contract unit price.***

ESTIMATED QUANTITIES

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>EST. QTY.</u>	<u>UNIT</u>
1.	Traffic Control	***	L.S.
2.	Asphalt Concrete, 1/2" Maximum, Type A Medium	4,237	TN.
3.	Asphalt Concrete, 3/8" Maximum	1,605	TN.
4.	Pavement Reinforcing Fabric	40,589	S.Y.
5.	Keycut Type A	16,185	L.F.
6.	Keycut Type B	1,563	L.F.

Estimated Quantities (Continued)

7.	Type II Slurry Seal	190,551	S.F.
8.	ARAM Cape Seal	94,613	S.F.
9.	4" Digout	11,685	S.F.
10.	Cold Plane 0.25' (3) AC, and Replace w/H.S. AC Mix	960	S.F.
11.	Crack Sealing	8,314	L.F.
12.	Adjust Manhole Cover to Finish Grade	63	EA.
13.	Adjust Water Valve/Sewer Cleanout/Survey Monument Gas Valve Covers to Finish Grade	36	EA.
14.	Install Box & Cover at Existing Survey Monument	1	EA.
15.	Blue Reflective Marker @ Hydrant	27	EA.
16.	"STOP" Legend (Thermo)	27	EA.
17.	"AHEAD" Legend (Thermo)	2	EA.
18.	"SLOW" Legend (Thermo)	2	EA.
19.	"SCHOOL" Legend (Thermo)	2	EA.
20.	"KEEP" Legend (Thermo)	10	EA.
21.	"CLEAR" Legend (Thermo)	10	EA.
22.	"XING" Legend (Thermo)	2	EA.
23.	"25" Legend (Thermo)	1	EA.
24.	"30" Legend (Thermo)	1	EA.
25.	"Bike Lane" Legend (Paint)	21	EA.
26.	12" White Crosswalk/Limit Line (Thermo)	1,257	L.F.
27.	12" Yellow Crosswalk (Thermo)	368	L.F.
28.	Type IV – Turn Arrow (Thermo)	3	L.F.
29.	Type VII – Turn Arrow (Thermo)	5	L.F.
30.	Striping Detail #23C (Thermo)	3,190	L.F.
31.	Striping Detail #37B (Thermo)	204	L.F.
32.	Striping Detail #38C (Thermo & Markers)	101	L.F.
33.	Striping Detail #39 (Thermo)	3,477	L.F.
34.	Striping Detail #39AC (Thermo)	2,658	L.F.

Estimated Quantities (Continued)

ADD ALTERNATE NO. 1

35. Warm-Mix Asphalt	5,842	TN.
----------------------	-------	-----

ADD ALTERNATE NO. 2

36. Black Aggregate for Cape Seal/Slurry Seal	285,164	S.F.
---	---------	------

10. EXPLANATION OF BID ITEMS

The price bid per unit measure of work shall include all costs of labor, equipment and materials necessary for the furnishing and constructing, complete and in place in accordance with the Contract Documents.

Any item shown on the details or described in these provisions and not specifically listed as a bid item shall be considered as included in the various bid items and no special compensation will be allowed.

BID ITEM NO. 1 - TRAFFIC CONTROL (L.S.)

This item is bid as a lump sum and shall consist of providing and maintaining safe vehicular and pedestrian access through the site during the course of the project.

See Section 3, 4 and 8 of the Special Provisions, and Section 101 of the Technical Provisions, for scope of Traffic Control.

BID ITEM NOS. 2 & 3 - ASPHALT CONCRETE 1/2" MAXIMUM TYPE A & 3/8" MAXIMUM (TN.)

These items are bid per ton and consist of providing, placing and compacting asphalt concrete for leveling course and surface course on various streets.

See Section 102 of the Technical Provisions for Additional Information.

BID ITEM NO. 4 - PAVEMENT REINFORCING FABRIC (S.Y.)

This item is bid per square yard and shall consist of placing pavement reinforcing fabric prior to asphalt concrete resurfacing work.

See Section 107 of the Technical Provisions for additional Information.

BID ITEM NOS. 5 & 6 - KEYCUTS TYPE A & B (L.F.)

These items are bid by the lineal foot and consist of removing by cold planing the existing pavement to the depth required by the Plans and removing the planed material. This item also includes installing a temporary wedge after cold planing at driveways, ends of roadways, cross gutters, and wherever vehicular traffic is to be maintained until completion of the resurfacing work. See Typical Section No. 1 and Keycut Type A and Type B Details in the Project Plans.

See Section 104 of Technical Provisions for additional Information.