Adopted Air Quality CEQA Thresholds of Significance * - June 2, 2010				
Pollutant	Construction-Related	Operational-Related		
Project-Level				
Criteria Air Pollutants and Precursors (Regional)	Average Daily Emissions (lb/day)	Average Daily Emissions (lb/day)	Maximum Annual Emissions (tpy)	
ROG	54	54	10	
NO_X	54	54	10	
PM_{10}	82 (exhaust only)	82	15	
PM _{2.5}	54 (exhaust only)	54	10	
PM ₁₀ /PM _{2.5} (fugitive dust)	Best Management Practices	None		
Local CO	None	9.0 ppm (8-hour average), 20.0 ppm (1-hour average)		
GHGs Projects other than Stationary Sources	None	Compliance with Qualified Greenhouse Gas Reduction Strategy OR 1,100 MT of CO ₂ e/yr OR 4.6 MT CO ₂ e/SP/yr (residents + employees)		
GHGs Stationary Sources	None	10,000 MT/yr		
Risk and Hazards – New Source (Individual Project)	Same as Operational Thresholds**	Compliance with Qualified Community Risk Reduction Plan OR Increased cancer risk of >10.0 in a million Increased non-cancer risk of > 1.0 Hazard Index (Chronic or Acute) Ambient PM _{2.5} increase: > 0.3 μ g/m ³ annual average Zone of Influence: 1,000-foot radius from fence line of source or receptor		
Risk and Hazards – New Receptor (Individual Project) Note: Threshold Effective Date January 1, 2011	Same as Operational Thresholds**	Compliance with Qualified Community Risk Reduction Plan OR Increased cancer risk of >10.0 in a million Increased non-cancer risk of > 1.0 Hazard Index (Chronic or Acute) Ambient PM _{2.5} increase: > 0.3 μ g/m ³ annual average Zone of Influence: 1,000-foot radius from fence line of source or receptor		

*

^{*} It is the Air District's policy that the adopted thresholds apply to projects for which a Notice of Preparation is published, or environmental analysis begins, on of after the applicable effective date. The adopted CEQA thresholds – *except for the risk and hazards thresholds for new receptors* – are effective June 2, 2010. The risk and hazards thresholds for new receptors are effective January 1, 2011.

** The Air District recommends that for construction projects that are less than a large that are less than a large than a large

^{**} The Air District recommends that for construction projects that are less than one year duration, Lead Agencies should annualize impacts over the scope of actual days that peak impacts are to occur, rather than the full year.

Adopted Air Quality CEQA Thresholds of Significance* - June 2, 2010				
Pollutant	Construction-Related	Operational-Related		
Risk and Hazards – New Source (Cumulative Thresholds)	Same as Operational Thresholds**	Compliance with Qualified Community Risk Reduction Plan OR Cancer: > 100 in a million (from all local sources) Non-cancer: > 10.0 Hazard Index (from all local sources) (Chronic) $PM_{2.5}: > 0.8 \ \mu g/m^3 \ annual \ average \ (from \ all \ local \ sources)$ Zone of Influence: 1,000-foot radius from fence line of source or receptor		
Risk and Hazards – New Receptor (Cumulative Thresholds) Note: Threshold Effective Date January 1, 2011	Same as Operational Thresholds**	Compliance with Qualified Community Risk Reduction Plan OR Cancer: > 100 in a million (from all local sources) Non-cancer: > 10.0 Hazard Index (from all local sources) (Chronic) PM _{2.5} : > 0.8 µg/m³ annual average (from all local sources) Zone of Influence: 1,000-foot radius from fence line of source or receptor		
Accidental Release of Acutely Hazardous Air Pollutants	None	Storage or use of acutely hazardous materials locating near receptors or receptors locating near stored or used acutely hazardous materials considered significant		
Odors	None	Complaint History—5 confirmed complaints per year averaged over three years		
Plan-Level				
Criteria Air Pollutants and Precursors	None	 Consistency with Current Air Quality Plan control measures Projected VMT or vehicle trip increase is less than or equal to projected population increase 		
GHGs	None	Compliance with Qualified Greenhouse Gas Reduction Strategy (or similar criteria included in a General Plan) OR 6.6 MT CO2e/ SP/yr (residents + employees)		
Risks and Hazards	None	 Overlay zones around existing and planned sources of TACs (including adopted Risk Reduction Plan areas) Overlay zones of at least 500 feet (or Air District-approved modeled distance) from all freeways and high volume roadways 		
Odors	None	Identify locations of odor sources in general plan		
Accidental Release of Acutely Hazardous Air Pollutants	None	None		
Regional Plans (Transportation and Air Quality Plans)				
GHGs, Criteria Air Pollutants and Precursors, and Toxic Air Contaminants	None	No net increase in emissions		

CO = carbon monoxide; CO_2e = carbon dioxide equivalent; GHGs = greenhouse gases; lb/day = pounds per day; MT = metric tons; NO_X = oxides of nitrogen; $PM_{2.5}$ = fine particulate matter with an aerodynamic resistance diameter of 2.5 micrometers or less; PM_{10} = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = parts per million; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = respirable particulate matter with an aerodynamic resistance diameter of 10 micrometers or less; pm = respirable particulate matter with a respirable p